

INDEX

Synonyms are printed in *italics*; new names in **bold-face** type.

- Abies coahuilensis*, 332
 — *lasiocarpa*, 332
 — *religiosa*, 332, 334
 — *sp.*, 332
Actinidia tonkinensis, 366
Actinostemon anisandrus, 177
Adenosma, 247
 — *javanicum*, 248
 — *papuanum*, 248
 — **punctatum**, 247
 — *ternatum*, 247
Adiantum Capillus-Veneris, 323
 — *tricholepis*, 323
Adina Metcalfii, 454
Aegopogon cenchroides, 403
Agatea macrobotrys, 208
 — **salomonensis**, 209
Agropyron arizonicum, 384
 — *sp.*, 384
 — *spicatum*, 384
Agrostis avenacea, 84
 — *exarata*, 385
 — *hiemalis*, 385
 — *Reinwardtii*, 83
 — *retrofracta*, 84
 — *semiverticillata*, 385
Alangium Chungii, 448
Alchornea brachygyne, 167
 — *costaricensis*, 168
 — **cyclophylla**, 166
 — *Hilariana*, 167
 — *oblongifolia*, 166
Allosorus Greggii, 317
Alsodeia salomonensis, 208
Alstonia longissima, 211
 — *macrophylla*, 211
 — *Reineckeana*, 211
Alyxia floribunda, 211
 — **fragrans**, 212
 — *Lamii*, 212
 — *pugio*, 211
 — *subalpina*, 212
 American Euphorbiaceae, *Novelties in*, 165
 American Species of *Drimys*, *The*, 1
Ammoselinum Popei, 239
Amphania integrifolia, 63.
Andropogon barbinodis, 419
 — *cirratus*, 418
 — *furcatus*, 419
Andropogon Gerardi, 419
 — *Hallii*, 419
 — *hirtiflorus*, 418
 — — *feensis*, 418
 — *intermedius*, 89
 — *perforatus*, 419
 — *saccharoides*, 419
 — *scoparius*, 418
 — — *neomexicana*, 418
 — *ternarius*, 419
 — *virginicus tenuispatheus*, 418
Anemia mexicana, 324
Anisophyllum emarginatum, 185
Aplotaxis gnaphaloides, 486
Arbor laurifoliae Magellanicae, 15
 Archbold Expedition to New Guinea,
 Ferns of the Second, 440
 Archboldiana, XI, XII, XIII, *Plantae*
 Papuanae, 34, 207, 422
Argythamnia breviramea, 165
Aristida adscensionis, 398
 — *Cumingiana*, 84
 — *curvifolia*, 400
 — **dissita**, 401
 — *divaricata*, 399
 — *longiseta*, 399
 — *Nealleyi*, 400
 — *Orcuttiana*, 398
 — *pansa*, 400
 — *purpurea micrantha*, 399
 — *Reverchoni*, 400
 — *Roemeriana*, 399
 — *Schiedeana*, 398
 — *ternipes*, 398
 — *Wrightii*, 400
 Arnold Arboretum, 1942-43, *Staff of the*,
 501
 Arnold Arboretum during the fiscal year
 ended June 30, 1943, *The*, 488
Artanema longifolium, 249
Arundinella furva, 85
Arundo Donax, 380
 ASMOUS, VLADIMIR C. *Karelin* (1801-
 1872) and *Kirilov* (1821-1842), *Explor-*
 ers of Siberia and Middle Asia, 107
Asplenium exiguum, 309
 — *Lealii*, 309
 — *Palmeri*, 309
 — *resiliens*, 309

- Astragalus *Grahamianus*, 486
 Astronia *atro-viridis*, 435
 — *novae-hannoverae*, 436
 — *papetaria novo-guineensis*, 434
 Astronidium *anomalum*, 438
 — *insulare*, 436
 — *montanum*, 436
 — *muscosum*, 436
 — *nigrescens*, 435
 — *novae-hannoverae*, 436
 — *novo-guineense*, 435
 — *salomonense*, 437
 — *sessilifolium*, 437
 Astrophyllum *dumosum*, 239
Ataxia Horsfieldii, 84
 Atriplex *prosopidum*, 227
 Aulacolepis *epileuca*, 84
 Avena *fatua*, 385
 — *filiformis*, 84
 Ayenia *pusilla*, 189
Bacopa floribunda, 248
 BAILEY, I. W. & CHARLOTTE G. NAST.
 The Comparative Morphology of the
 Winteraceae, I. Pollen and Stamens, 340
 — & CHARLOTTE G. NAST. The Compar-
 ative Morphology of the Winteraceae,
 II. Carpels, 472
 — CHARLOTTE G. NAST, & A. C. SMITH.
 The Family Himantandraceae, 190
 BALL, CARLETON R. *Salix floridana* Chap-
 man, a Valid Species, 103
Bambusa lima, 78
Banisteria elegans, 222
 — — *cordata*, 222
 — — — *ciliata*, 223
Banisteriopsis elegans, 222
 — — *cordata*, 222
 — — — *ciliata*, 223
 — — — *pulcherrima*, 223
 — *leptocarpa*, 223
Bealia mexicana, 386
 Begonia *acaulis*, 43
 — *Archboldiana*, 42
 — *Augustae*, 58
 — *brachybotrys*, 56
 — *Brassii*, 43
 — *calliantha*, 47
 — *diffusiflora*, 46
 — *media*, 54
 — *montis Bismarckii*, 49
 — *novoguineensis*, 57
 — *oligandra*, 44
 — *otophora*, 46
 — *oxyura*, 49
 — *pediophylla*, 54
 — *physandra*, 41
 — *pinnatifida*, 51
 — *Randiana*, 47
 Begonia *Richardsoniana*, 48
 — *salomonensis*, 56
 — *serraticauda*, 51
 — *simulans*, 52
 — *Somervillei*, 57
 — *spilotophylla*, 58
 — *stilandra*, 52
 — *subelliptica*, 57
 — *suffrutescens*, 49
 — *tafaensis*, 55
 Belliolum, 151
 — § *Dicladiscum*, 151
 — § *Monocladiscum*, 151
 — *Burtianum*, 153
 — *crassifolium*, 152
 — *gracile*, 153
 — *haplopus*, 153
 — *Kajewskii*, 153
 — *Pancheri*, 151
 — *rivulare*, 152
 — *Vieillardii*, 152
Bennettiodendron cordatum, 367
Benthamia japonica sinensis, 368
Bernardia amazonica, 166
 — *Brandegei*, 165
 — *Gentryana*, 165
 — *viridis*, 165
 Bibliography of the published writings of
 the staff and students, July 1, 1942 –
 June 30, 1943, 498
Bleekeria, 213
 — *calocarpa*, 213
 — *minima*, 214
 — *solomonensis*, 214
Blepharidachne Bigelovii, 382
Blepharoneuron tricholepis, 393
Boigue Cinnamomifera oliva fructu, 15
Boique, 10
Bommeria hispida, 309
Bonnaya reptans, 253
 Botanical Parts of the Pacific Railroad
 Reports, Publication Dates for the, 237
Bouteloua aristoides, 409
 — *barbata*, 406
 — *brevisetata*, 407
 — *chondrosioides*, 409
 — *curtipendula*, 410
 — *eriopoda*, 408
 — *gracilis*, 407
 — *hirsuta*, 406
 — *Johnstoni*, 409
 — *Karwinskii*, 408
 — *Parryi*, 406
 — *polystachya vestita*, 406
 — *radicosa*, 409
 — *ramosa*, 406
 — *rigidiseta*, 409
 — *scorpioides*, 406

- Bouteloua simplex, 405
 — trifida, 408
 — uniflora, 410
 Brachiaria Meziana, 412
 Brachypodium mexicanum, 377
 — pubifolium, 79
 Brass, III, Papuan Grasses Collected by
 L. J., 77
 British Guiana, New and Noteworthy
 Polypetalae from, 218
 Bromus anomalus, 376
 — carinatus, 376
 — laciniatus, 376
 — marginatus, 376
 — polyanthus, 376
 — Schaffneri, 376
 — scopulorum, 78
 — sp., 79, 376
 Brucea acuminata, 445
 Bubbia, 141
 — § *Diploclada*, 141
 — § *Eububbia*, 141
 — § *Monoclada*, 141
 — *amplexicaulis*, 142
 — Archboldiana, 150
 — argentea, 150
 — auriculata, 142
 — Balansae, 142
 — bullata, 149
 — calophylla, 150
 — calothyrsa, 150
 — Clemensiae, 149
 — Comptonii, 143
 — *crassifolia*, 152
 — Deplanchei, 142
 — glauca, 150
 — *haplopus*, 153
 — heteroneura, 143
 — Howeana, 141
 — idenburgensis, 150
 — isoneura, 143
 — Ledermannii, 149
 — longifolia, 150
 — megacarpa, 150
 — monocarpa, 149
 — montana, 150
 — *Muelleri*, 142
 — odorata, 144
 — oligocarpa, 149
 — pachyantha, 149
 — *Pancheri*, 152
 — *parviflora*, 136
 — pauciflora, 144
 — polyneura, 149
 — *rivularis*, 152
 — semecarpoides, 144
 — sororia, 150
 — sylvestris, 150
 Bubbia umbellata, 150
 — **Whiteana**, 145
 Buchloë dactyloides, 411
 Buchnera, 262
 — asiatica, 266
 — **ciliata**, 263
 — *curviflora*, 265
 — *parviflora*, 266
 — **rariflora**, 263
 — tomentosa, 262
 — urticifolia, 262
 — *Wallichii*, 267
 Byrsonima **incarnata**, 221
 — Poepigiana, 222
 — rugosa, 222
 — stipulacea, 222
Caconapea, 248
Callisteris texana, 95
 Camassia Fraseri, 239
 — Gawleri, 238
 Campanula cashmeriana, 486
Canella, 10
Capraria humilis, 246
 Caraipa **simplicior**, 220
 Cardamine *africana borbonica papuana*,
 207
 — altigena, 207
 — papuana, 207
 Carpels, The Comparative Morphology of
 the Winteraceae, II., 472
 Carruthersia **Brassii**, 215
Catanthera lysipetala, 425
 Cathestecum erectum, 411
 Cavendishia Cuatrecasasii, 466
 — **Dugandiana**, 468
 — **rosea**, 468
 — **speciosa**, 467
 Cenchrus echinatus, 417, 418
 — myosuroides, 417
 — pauciflorus, 417
 Centranthera cochinchinensis, 262
 — *hispida*, 262
 Cephalomanes **Ledermannii**, 440
 Cephalomedinilla, 434
 Cerasus cornuta, 486
 Ceratostema **amplexicaule**, 462
 Chaetium bromoides, 416
 Chaetochloa *gibbosa*, 416
 — *leucopila*, 417
 — macrostachya, 416
 Chamaesyce, 182
 — **Barberiana**, 186
 — **caecorum**, 187
 — **catamarcensis**, 187
 — **chamaerrhodos**, 184
 — **Duckei**, 185
 — **Eichleri**, 185
 — **emarginata**, 185

- Chamaesyce hirta*, 188
 — — *laeticincta*, 188
 — — *procumbens*, 188
 — *hirtella*, 185
 — *indica*, 186
 — *Lorentzii*, 185
 — *Meyeniana*, 184
 — *microcephala*, 188
 — *oranensis*, 187
 — *portucasadiana*, 186
 — *potentilloides*, 184
 — *Selloi*, 184
 — — *brevisemina*, 184
 — *serpens*, 189
 — — *montevidensis*, 189
Chaptalia gossypina, 486
 CHASE, AGNES. Papuan Grasses Collected by L. J. Brass, III, 77
Cheilanthes aemula, 318
 — *alabamensis*, 318
 — *aspera*, 319
 — *castanea*, 320
 — *Davenportii*, 317
 — *Eatoni*, 320
 — *Feei*, 319
 — *horridula*, 319
 — *jamaicensis*, 320
 — *Kaulfussii*, 322
 — *lendigera*, 321
 — *leucopoda*, 322
 — *Lindheimeri*, 321
 — *marginata*, 322
 — *meifolia*, 319
 — *mexicana*, 321
 — *monocloviensis*, 319
 — *myriophylla*, 321
 — *notholaenoides*, 318
 — *pyramidalis*, 322
 — — *arizonica*, 322
 — *tomentosa*, 320
 — *villosa*, 321
 — *Wrightii*, 319
Chenopodina Moquini, 229
Chloothamnus sp., 77
Chloris andropogonoides, 405
 — *aristata*, 405
 — *latisquamea*, 405
 — *submutica*, 405
 — *virgata*, 405
Circaea cordata, 486
Cladothrix lanuginosa carnosae, 232
Cleidion denticulatum, 166
 — *oblongifolium*, 166
 — *prealtum*, 167
 — *Woodsonianum*, 167
Clematis Archboldiana, 36
 — *glycinoides*, 34
 — *Gouriana*, 34
Clematis Gouriana malaiana, 34
 — *papuasica*, 34
 — *phanerophlebia*, 35
 — *stenosepala*, 34
 — *Vitalba javana*, 34
Clethra Liangii, 449
 — *polyneura*, 449
Cleyera albo-punctata, 76
Clitandropsis novo-guineensis, 210
 Coahuila, Eastern Chihuahua, and Adjoining Zacatecas and Durango, I, II, Plants of, 306, 375
Codonopsis rotundifolia, 486
Coix lachryma-jobi, 421
Combretum kwangsiense, 450
 Comparative Morphology of the Winteraceae, I. Pollen and Stamens, The, 340
 Comparative Morphology of the Winteraceae, II. Carpels, The, 472
 COPELAND, E. B. Ferns of the Second Archbold Expedition to New Guinea, 440
Cornus hongkongensis, 368
Cortex Winteranus, 15
Corylopsis cordata, 445
Cottea pappophoroides, 382
 CROIZAT, LEON. Novelties in American Euphorbiaceae, 165
Cucumis pseudo-Colocynthis, 486
Cupressus arizonica, 335
Cyanathus lobatus, 486
Cyclophorus dispar, 443
Cyclosorus gregarius, 440
Cynodon Barberi, 84
 — *Dactylon*, 404
Cystopteris fragilis, 308
 — — *tenuifolia*, 308
 Cytology and Speciation in the Genus *Populus* L., A Study of, 275
Dactylostemon anisandrus, 177
Danthonia mexicana, 385
Dasyilirion heteracanthum, 92
 — *Stewartii*, 92
 — — *glaucum*, 93
Decumaria, 482
 Degeneriaceae, 190
Dendrobenthamia hongkongensis, 368
Dendrobium alpestre, 486
Dendrocalamus latifolius, 78
 — sp., 78
Dendropanax parviflorus, 367
Deschampsia Klossii, 83
Detzneria tubata, 255
Deutzia corymbosa, 486
Deyeuxia epileuca, 84
Dialyanthera parvifolia, 460
Dichelachne novoguineensis, 84
Digitaria chinensis, 86

- Digitaria sanguinalis*, 412
 — *violascens*, 86
Diospyros Morrisiana, 369
 — *potingensis*, 369
 — **siderophyllus**, 450
Distichlis stricta, 379
 — *texana*, 379
Ditaxis breviramea, 165
Doliocarpus savannarum, 218
 — *virgatus*, 218
Dondia conferta, 230
Drimys, The American Species of, 1
Drimys, 10, 122
Drimys, 153
Drimys § *Drimys*, 154
 — § *Eudrimys*, 10, 122, 154
 — § *Monopleura*, 10
 — § *Polyacra*, 10
 — § *Polypleura*, 10
 — § *Sarcodrimys*, 151
 — § *Tasmania*, 10, 122
 — § *Wintera*, 10
 — § *Winterana*, 122
 — *acutifolia*, 139
 — *amplexicaulis*, 142
 — *angustifolia*, 32
 — *arfakensis*, 136
 — *aromatica*, 15, 128
 — — *alpina*, 130
 — — *aromatica*, 128
 — — *pedunculata*, 130
 — *aromatique*, 15
 — *austro-caledonicus*, 160, 163
 — *axillaris*, 157
 — — *colorata*, 158
 — *Balansae*, 142
 — *Beccariana*, 139
 — *brasiliensis*, 27
 — — **angustifolia**, 32
 — — *axillaris*, 30
 — — *campestris*, 29
 — — *montana*, 30
 — — **retorta**, 31
 — — **roraimensis**, 32
 — — *sylvatica*, 30
 — *Brassii*, 135
 — *bullata*, 149
 — *buxifolia*, 134
 — *calothyrsa*, 150
 — *chilensis*, 18
 — — *latifolia*, 18
 — *colorata*, 158
 — *Comptonii*, 143
 — *confertifolia*, 11
 — *coriacea*, 140
 — *crassifolia*, 152
 — *cyclopum*, 139
 — *cyclopum*, 140
Drimys densifolia, 140
 — *Deplanchei*, 142
 — *dictyophlebia*, 140
 — *dipetala*, 124
 — *elongata*, 135
 — *fernandeziana*, 11
 — *Fernandezianus*, 11
 — *fistulosa*, 135
 — *granadensis*, 20
 — *granadensis*, 21, 27, 29, 32
 — *granadensis axillaris*, 29
 — — *campestris*, 29
 — — **chiriquiensis**, 25
 — — *grandiflora*, 21
 — — **mexicana**, 23
 — — *montana*, 29
 — — **peruviana**, 26
 — — *sylvatica*, 23, 29
 — — **uniflora**, 23
 — *granatensis*, 20
 — — *grandiflora*, 21
 — *grandiflora*, 137
 — *hatamensis*, 140
 — *hatamensis*, 134
 — *heteroneura*, 143
 — *Howeana*, 141
 — *insipida*, 124
 — *insularis*, 141
 — *intermedia*, 140
 — *Lamii*, 136
 — *lanceolata*, 128
 — — *parvifolia*, 130
 — *Ledermannii*, 149
 — *ledifolia*, 31
 — *Lenormandii*, 160
 — *macrantha*, 137
 — *magnoliaefolia*, 18
 — *membranacea*, 127
 — *membranea*, 127
 — *mexicana*, 23
 — *microphylla*, 134
 — *montana*, 30
 — *Muelleri*, 140
 — *myrtoides*, 135
 — — *gracilis*, 136
 — *neo-caledonicus*, 160
 — *oblonga*, 140
 — *obovata*, 140
 — *odorata*, 144
 — *oligandra*, 135
 — *oligocarpa*, 149
 — *pachyphylla*, 136
 — *Pancheri*, 152
 — *paniculata*, 18
 — *parviflora*, 136
 — *pauciflora*, 144
 — *piperita*, 137
 — *piperita*, 140

- Drimys pittosporoides*, 135
 — *polymorpha*, 15
 — *polyneura*, 149
 — *punctata*, 15
 — *purpurascens*, 128
 — *reducta*, 134
 — *reticulata*, 137
 — *reticulata*, 137
 — *retorta*, 31
 — *rivularis*, 152
 — *rosea*, 136
 — *rubiginosa*, 135
 — *semecarpoides*, 144
 — *sororia*, 150
 — *stipitata*, 130
 — *Traversii*, 159
 — *umbellata*, 150
 — *uniflora*, 23
 — *vaccinioides*, 134
 — *vascularis*, 33
 — *Versteegii*, 134
 — *verticillata*, 136
 — **Vickeriana**, 130
 — *Vieillardii*, 152
 — *Winterana*, 15
 — *Winteri*, 13, 120
 — *Winteri*, 15, 18, 23, 29, 32
 — *Winteri andina*, 17
 — — *angustifolia*, 32
 — — *chilensis*, 18
 — — *chilensis*, 18
 — — — *andina*, 17
 — — — *confertifolia*, 12
 — — — *fernandeziana*, 12
 — — — *granadensis*, 22
 — — — *magellanica*, 15
 — — — *Morenonis*, 15
 — — — *punctata*, 15
 — — — *quinoensis*, 17
 — — — *revoluta*, 31
 — — — *semiglobosa*, 30
 — *xerophylla*, 128
Drimytaceae, 120
Drimytacées, 120
 — *Drimytées*, 120
 — *Exospermées*, 120
Drymis, 8
Drymys, 8
Dryopteris augescens Lindheimeri, 308
 — *normalis Lindheimeri*, 308
Echinochloa colonum, 415
 — *crusgalli*, 88
 — *crus-galli*, 416
 — *Walteri*, 416
Echinodorus cordifolius, 376
Eddya hispidissima, 238
Ehretia hispida, 238
Eleusine indica, 404
Elymus canadensis, 384
Elyonurus barbiculmis, 420
Elytranthe ampullacea Harmandii, 364
 — — *puberula*, 364
 — — *tonkinensis*, 363
 — *cochinchinensis*, 364
 — — **Harmandii**, 364
 — — **puberula**, 364
 — — **tonkinensis**, 363
Embolanthera glabrescens, 365
Emmenopterys Rehderi, 100
Ephedra antisiphilitica, 339
 — *aspera*, 338
 — *compacta*, 339
 — *pedunculata*, 339
 — *Torreyana*, 338
 — *trifurca*, 338
Equisetum laevigatum, 325
Eragrostis caudata, 378
 — *curtipedicellata*, 377
 — *diffusa*, 378
 — *erosa*, 378
 — *intermedia*, 379
 — *lugens*, 379
 — *megastachya*, 378
 — *mexicana*, 378
 — *neomexicana*, 378
 — *obtusiflora*, 377
 — *Palmeri*, 378
 — *reptans*, 377
 — *sp.*, 378
Erinus verticillatus, 246
Eriochloa gracilis, 412
 — *punctata*, 412
Eritrichium crassisepalum, 239
 — *pusillum*, 239
Erpetina radicans, 424
Eulalia grata, 88
 — **leptostachys**, 88
Euphorbia acerensis, 181
 — *albomarginata*, 239
 — *anomala*, 178
 — **aureocincta**, 181
 — *caecorum*, 187
 — *caespitosa*, 179
 — — **typica**, 179
 — — **ventanicola**, 179
 — *chamaerrhodos*, 184
 — *dictyosperma*, 180
 — *dilatata*, 239
 — *Eichleri*, 185
 — *emarginata*, 185
 — *Fendleri*, 239
 — *Hinkleyorum*, 182
 — *hirta*, 188
 — *hirta destituta*, 188
 — *hirtella*, 185
 — *Huanchahana*, 178

- Euphorbia Huanchahana **penazuelensis**, 179
 — — **peperomioides**, 179
 — — **typica**, 179
 — insulana, 178
 — — *minor*, 178
 — — **pilcomayensis**, 178
 — — **tovarensis**, 178
 — — **typica**, 178
 — **invaginata**, 180
 — *Lorentzii*, 185
 — *Meyeniana*, 184
 — *microcephala*, 188
 — *Milii*, 181
 — *orizabae*, 182
 — *ovalifolia montevidensis*, 189
 — *pampeana*, 182
 — *pentadactyla*, 181
 — *phosphorea*, 182
 — *pilulifera*, 188
 — *portulacodes normalis*, 179
 — *portulacoides acutifolia*, 179
 — *potentilloides*, 184
 — *rhipsaloides*, 182
 — *sciadophila*, 180
 — *Selloi*, 184
 — *serpens*, 189
 — — *fissistipula*, 189
 — *spathulata*, 180
 — *splendens*, 181
 — *tovarensis*, 178
 — *Wrightii*, 239
 Euphorbiaceae, Novelties in American, 165
 Euphrasia, 267
 — **callosa**, 273
 — **cucullata**, 269
 — *culminicola*, 270
 — **curviflora**, 270
 — **humifusa**, 272
 — *Lamii*, 268
 — *mirabilis*, 270
 — *papuana*, 268
 — **rectiflora**, 271
 — *scutellarioides*, 272
 — **spatulifolia**, 271
Eupomatia Belgraveana, 192
 Eustigma Balansae, 445
Everettia nigrescens, 435
Excavatia, 213
 — *minima*, 214
 Exospermum, 159
 — *Lecarti*, 160
 — *stipitatum*, 160
 Ferns of the Second Archbold Expedition to New Guinea, 440
 Festuca ligulata, 377
 — *nubigena*, 79
 — *nubila*, 79
Festuca oreoboloides, 79
 Forsythia Vahl, Nomen Genericum Conservandum, 482
 Forsythia, 482
 — *japonica*, 483
 — *koreana*, 482
 — *ovata*, 483
 — *suspensa*, 482
 — *viridissima*, 482
 — — *koreana*, 482
Freziera undulata, 76
Fritillaria Thomsoniana, 486
Galbulimima, 190
 — *baccata*, 193
 — *Belgraveana*, 192
 — *nitida*, 192
 — *parvifolia*, 194
Gardenia stenophylla, 374
Garnotia Mezii, 84
Gaultheria trichophylla, 486
Gilia aggregata texana, 95
 — **calothyrsa**, 95
 — **Stewartii**, 94
 — **platyloba**, 95
Gilibertia parviflora, 368
Goniothalamus chartaceus, 364
 Grasses Collected by L. J. Brass, III, Papuan, 77
Gratiola ciliata, 253
 — *cordifolia*, 252
 — *goodenifolia*, 249
 — *pusilla*, 250, 251
 — *reptans*, 253
 — *ruelloides*, 253
 — *veronicifolia*, 253
 — *viscosa*, 251
Greenea hoensis, 100
Gymnogramma hispida, 309
Gymnopteris hispida, 309
Hackelochloa granularis, 421
 Hebe, 255
 — **albiflora**, 257
 — *Brassii*, 259
 — *carstensensis*, 258
 — **ciliata**, 258
 — *diosmoideš*, 260
 — *Lendenfeldii*, 257
 — **polyphylla**, 257
 — **rigida**, 259
 — *rubra*, 257
 — **tenuis**, 259
 — *thymelaeoides*, 257
 — *Vanderwateri*, 260
Hedera parviflora, 368
Hederella Forbesii, 425
Helicia Henryi, 363
 — *pallidiflora*, 363
 — **Tsangii**, 363

- Helicia vestita*, 363
 — — **mixta**, 444
Herpestis floribunda, 248
Heteropogon contortus, 420
 — *melanocarpus*, 420
Hierochloë angusta, 84
 — *Horsfieldii*, 84
 — *redolens*, 84
Hilaria Belangeri, 403
 — *cenchroides*, 403
 — *mutica*, 383, 402
Himantandra, 190
 — *baccata*, 193
 — *Belgraveana*, 192
 — *nitida*, 192
 — *parvifolia*, 194
 Himantandraceae, The Family, 190
Hippomane biglandulosa, 175
 — *glandulosa*, 176
Holcus redolens, 84
Hollrungia aurantioides, 210
Holostemma Brunonianum, 486
Hornemannia bicolor, 249
 — *viscosa*, 251
Humata papuana, 441
Huodendron parvifolium, 370
Hybanthus enneaspermus, 208
Hydnocarpus Merrillianus, 446
Hymenantha Traversii, 159
Hypsophila Halleyana, 140
Ichnanthus vicinus, 86
Illicium, 120
 "Illustrations of the Botany of the
 Himalayan Mountains," Royle's, 484
Ilysanthes, 249
 — *ciliata*, 253
 — *procumbens*, 251
 — *ruelloides*, 253
 — *veronicaefolia*, 253
Imperata arundinacea, 88
 — *brevifolia*, 418
 — *cylindrica*, 88
 — *Hookeri*, 418
 Indo-China, Notes on the Flora of, 362
Ionidium enneaspermum, 208
Isachne albens, 87
 — *australis*, 87
 — *Brassii*, 87
 — — *villosa*, 87
 — *globosa*, 87
 — *grisea*, 87
 — *micrantha*, 87
 — *scabrosa*, 87
 — *stricta*, 88
Ixora Tsangii, 456
Jatropha flabellifolia, 168
 — *hippocastanifolia*, 168
 — *Hoffmanniae*, 168
Jatropha longipedunculata, 168
 — **Paxii**, 168
 JOHNSTON, IVAN M. New Phanerogams
 from Mexico, V, 90
 — Noteworthy Species from Mexico and
 Adjacent United States, I, 227
 — Plants of Coahuila, Eastern Chihuahua,
 and Adjoining Zacatecas and Durango,
 I, II, 306, 375
 — Publication Dates for the Botanical
 Parts of the Pacific Railroad Reports,
 237
Juniperus Ashei, 337
 — *erythrocarpa*, 337
 — *flaccida*, 336
 — *gymnocarpa*, 337
 — *mexicana*, 337
 — *monosperma*, 337
 — *occidentalis conjungens*, 337
 — *pachyphloea*, 336
 — *sabinoides*, 337
 — *tetragona*, 337
 — — *oligosperma*, 337
 Karelin, G. S., List of plants named in
 honor of, 117
 Karelin and Kirilov, Bibliography of
 works by, 114
 Karelin and Kirilov, Biographies of, 115
 Karelin (1801–1872) and Kirilov (1821–
 1842), Explorers of Siberia and Middle
 Asia, 107
 Kirilov (1821–1842), Explorers of Siberia
 and Middle Asia, Karelin (1801–1872)
 and, 107
 Kirilov, I. P., List of plants named in
 honor of, 117
 KOBUSKI, CLARENCE E. Studies in the
 Theaceae, XIV. Notes on the West
 Indian Species of *Ternstroemia*, 60
Koeleria cristata, 384
Kohautia coccinea, 486
 Kwangsi Province, China, Notes on the
 Flora of, 444
Lactaria, 213
Lagurus cylindrica, 88
Lasianthus kwangsiensis, 458
 — **Tsangii**, 457
Laurifolia Magellanica cortice acri, 15
Lecostemon, 224
 — *Gardnerianum*, 224
 — *sylvestre*, 223
Lendneria, 246
Leptochloa dubia, 403
 — *fascicularis*, 404
 — *filiformis*, 404
 — *uninervia*, 404
 — *viscida*, 404
Leptoloma cognatum, 412

- LI, HUI-LIN. Notes on the Flora of Indo-China, 362
 — Notes on the Flora of Kwangsi Province, China, 444
 — *Schizomussaenda*, A New Genus of the Rubiaceae, 99
Ligustrum retusum, 373
 — *suspensum*, 482
Lilium Thomsonianum, 486
Limnophila, 246
 — *aromatica*, 246
 — *fragrans*, 246
 — *rugosa*, 246
 — *sessiliflora*, 247
Lindernia, 249
 — *anagallis*, 252
 — *angustifolia*, 252
 — *antipoda*, 253
 — *ciliata*, 253
 — *cordifolia*, 252
 — *crenata*, 254
 — *crustacea*, 250
 — *hirta*, 250
 — *papuana*, 251
 — *pusilla*, 251
 — *pusilla*, 250
 — *trichotoma*, 252
 — *viscosa*, 251
Lindsaea subtripinnata, 441
Linociera verticillata, 372
Lonicera bracteata, 486
Lophotocarpus calycinus, 376
 — *fluitans*, 376
Loranthus cordifolius, 364
 — *tienyensis*, 364
Luculia intermedia, 454
Lycurus phalaroides, 386
 — *phleoides*, 385
 — — *glaucifolius*, 385
Macropiper methysticum, 353
 — *puberulum*, 355, 356
Macrosolen cochinchinensis, 364
Madhuca cambodiana, 368
 — *Tsangii*, 368
Magallana, 10
Magellania, 10
Magnoliaceae, 190
 — *Drimydoideae*, 120
 — *Drimyoideae*, 120
 — *Illicieae*, 120
 — — § *Winterineae*, 120
 — *Wintereae*, 120
Manihot orinocensis, 169
Manisuris altissimus, 420
Marsilea Fournieri, 324
 — *minuta*, 324
 — *mucronata*, 325
 — *Marsilea* sp., 325
 — *vestita*, 325
Mazus, 248
 — *goodenifolius*, 249
 — *japonicus*, 249
Medinilla acutifolia, 425
 — *albida*, 427
 — *anisophylla*, 430
 — *anomala*, 425
 — *arfakensis*, 425
 — *Bakeriana*, 423
 — *Brassii*, 425, 426, 427
 — *calliantha*, 431
 — — *bella*, 431
 — *cauliflora*, 423, 425
 — *cephalantha*, 433
 — *Erpetina*, 424
 — *exigua*, 424
 — *Forbesii*, 423
 — *Hollrungiana*, 423
 — *Kajewskii*, 429
 — *lancifolia*, 432
 — *leucantha*, 426
 — *longistylis*, 425
 — *Lorentziana*, 426
 — *luraluensis*, 430
 — *lysipetala*, 425
 — *Mansfeldiana*, 427
 — *Markgrafii*, 427
 — *nodosa*, 425
 — *novo-guineensis*, 423
 — *Peekelii*, 423
 — *pubiflora*, 431
 — *quadrifolia*, 423
 — *rubescens*, 433
 — *rubiginosa*, 428
 — *sessilis*, 434
 — *tenuipedicellata*, 424
 — *tulagiensis*, 429
 — *vagans*, 432
 — *Versteegii*, 424
Melica alba, 380
 — *montezumae*, 380
 — *nitens*, 380
Mella, 248
 — *floribunda*, 248
Memecylon papuanum, 438
MERRILL, E. D. & L. M. PERRY. *Plantae Papuanae Archboldianae*, XI, XII, XIII, 34, 207, 422
Mexico, V, New Phanerogams from, 90
Mexico and Adjacent United States, I, Noteworthy Species from, 227
Micrandra, 169
 — *santanderensis*, 169
Micrechites Archboldiana, 214
Microcarpaea minima, 251
Microchloa Kunthii, 403

- Microstegium gratum*, 88
Milium globosum, 87
Milla Bryani, 90
Mimulus violaceus, 255
Mokofua delicatula, 62
— *elliptica*, 63
— *obovalis*, 73
— *peduncularis*, 73
Monanthochloë littoralis, 379
Monostachya oreoboloides, 79
Muhlenbergia abata, 387
— *acuminata*, 390
— *arenacea*, 386
— *arenicola*, 389
— *arizonica*, 388
— *asperifolia*, 386
— *biloba*, 386
— *calamagrostidea*, 391
— *crispiseta*, 386
— *depauperata*, 386
— *dubia*, 389
— *elongata*, 391
— *Emersleyi*, 387
— *glauca*, 386
— *implicata*, 386
— *lanata*, 387
— *leptoura*, 393
— **Marshii**, 392
— *montana*, 388
— *monticola*, 390
— **mundula**, 392
— *novoguineensis*, 84
— *parviglumis*, 390
— *pauciflora*, 390
— *polycaulis*, 390
— *Porteri*, 388
— *repens*, 388
— *rigens*, 392, 393
— *rigida*, 389
— *setifolia*, 389
— *tenuifolia*, 391
— *texana*, 386
— *utilis*, 388
— *villiflora*, 390
Munroa squarrosa, 411
Mussaenda anomala, 454
— *dehiscens*, 100
— **densiflora**, 455
— *erosa*, 373
— *glabra*, 100
— **kwangsiensis**, 455
— **longipetala**, 373
— *Roxburghii*, 100
Myristicaceae and Vacciniaceae, Studies of South American Plants, X. Noteworthy, 460
Naias guadalupensis, 375
Nama biflorum Marshii, 96
Nama Marshii, 96
— *serpylloides confertum*, 96
NAST, CHARLOTTE G. & I. W. BAILEY. The Comparative Morphology of the Winteraceae, I. Pollen and Stamens, 340
— & I. W. BAILEY. The Comparative Morphology of the Winteraceae, II. Carpels, 472
— A. C. SMITH, & I. W. BAILEY. The Family Himantandraceae, 190
New and Noteworthy Polypetalae from British Guiana, 218
New Guinea, A Second Summary of the Scrophulariaceae of, 243
New Guinea, Ferns of the Second Archbold Expedition to, 440
New Phanerogams from Mexico, V, 90
Nolina affinis, 91
— *caudata*, 91
— *erumpens compacta*, 90
— **micrantha**, 91
— *texana compacta*, 90
Nomen Genericum Conservandum, Forsythia Vahl, 482
Notes on the Flora of Indo-China, 362
Notes on the Flora of Kwangsi Province, China, 444
Noteworthy Species from Mexico and Adjacent United States, I, 227
Notholaena aliena, 316
— *Aschenborniana*, 315
— *aurea*, 312
— *bryopoda*, 317
— *candida*, 316
— *cochisensis*, 314
— *delicatula*, 312
— *Grayi*, 316
— *Greggii*, 317
— *limitanea mexicana*, 312
— — *mexicana*, 312
— *Nealleyi*, 315
— *neglecta*, 316
— *Pringlei*, 317
— *Schaffneri*, 315
— — *mexicana*, 316
— — **Nealleyi**, 315
— *sinuata*, 313
— — **cochisensis**, 314
— — *crenata*, 314
— — *integerrima*, 313
— *Standleyi*, 316
Novelties in American Euphorbiaceae, 165
Ochrosia calocarpa, 213
— *glomerata*, 213
Old World Species of Winteraceae, Taxonomic Notes on the, 119
Olea cordatula, 372
Oleandra subdimorpha, 441

- Ophiorrhiza kwangsiensis*, 453
 — *succirubra*, 453
Oplismenus hirtellus, 415
Oreostachys producta, 77
Orophea anceps, 445
Oryzopsis hymenoides, 396
Osmorrhiza laxa, 486
Ouratea cataractarum, 224
 — *cernuiflora*, 225
 Pacific Island Plants, II. Notes on the Pacific Species of Piper, Studies of, 347
 Pacific Railroad Reports, Publication Dates for the Botanical Parts of the, 237
Paederia pertomentosa, 458
Panicum agrostoides, 415
 — *arizonicum*, 414
 — *auritum*, 86
 — *bulbosum*, 415
 — *condensum*, 415
 — *contractum*, 87
 — *crusgalli*, 88
 — *fasciculatum*, 414
 — — *reticulatum*, 414
 — *filipes*, 414
 — *Ghiesbreghtii*, 415
 — *Hallii*, 414
 — *Havardii*, 415
 — *hirticaule*, 414
 — *lanuginosum Lindheimeri*, 413
 — *lepidulum*, 414
 — *obtusum*, 415
 — *oligosanthes Scribnerianum*, 413
 — *pedicellatum*, 414
 — *plenum*, 415
 — *ramisetum*, 413
 — *Reverchoni*, 413
 — *vicinum*, 86
 — *virgatum*, 415
 — *zizanioides*, 86
Pappophorum bicolor, 383
 — *mucronulatum*, 383
 — *Wrightii*, 383
 Papuan Grasses Collected by L. J. Brass, III, 77
Papuzilla minutiflora, 207
Parsonia curvisepala, 215
 — *flavescens*, 216
 — *Helicandra*, 216
 — *lata*, 216
 — *mollissima*, 216
 — *rubra*, 217
 — *spiralis*, 216
Paspalum chinensis, 86
 — *ciliatifolium*, 413
 — — *stramineum*, 413
 — *crinitum*, 413
 — *distichum*, 412
Paspalum Hartwegianum, 413
 — *minutiflorum*, 86
 — *mutabile*, 413
 — *propinquum*, 413
 — *pubiflorum*, 412
 — *stramineum*, 413
Passiflora cupiformis, 447
 — *kwangsiensis*, 447
 — *Papilio*, 447
Payena cambodiana, 368
Pellaea atropurpurea, 311
 — *cardiomorpha*, 309
 — *cordata*, 309
 — *flexuosa*, 311
 — *Greggii*, 317
 — *intermedia*, 310
 — — *pubescens*, 310
 — *microphylla*, 311
 — *ovata*, 311
 — *sagittata*, 310
 — *ternifolia*, 311
 — *Wrightiana*, 311
 PENNELL, FRANCIS W. A Second Summary of the Scrophulariaceae of New Guinea, 243
Pentaloba fasciculata, 208
Pentstemon Fendleri, 239
Peperomia polystachya, 357
Periclymenum rectum foliis laurinis, 15
 PERRY, L. M. & E. D. MERRILL. *Plantae Papuanae Archboldianae*, XI, XII, XIII, 34, 207, 422
Phacelia infundibuliformis phanerandra, 96
 — *integrifolia arenicola*, 97
 — — *robusta*, 97
 — *pallida*, 97
 — *petiolata*, 97
 — *Popei*, 239
 — *robusta*, 97
 — *teucrifolia*, 98
Phalaris canariensis, 411
 — *caroliniana*, 411
Phanerophlebia auriculata, 308
 — *umbonata*, 308
Phorodendron flavum, 93
 — *tomentosum*, 94
Phragmites communis, 380
Picrorhiza Kurroa, 486
Pinus arizonica, 331
 — *Ayacahuite*, 330
 — — *brachyptera*, 330
 — *cembroides*, 329
 — *flexilis*, 331
 — *Greggii*, 331
 — *Hartwegii*, 331
 — *latisquama*, 330
 — *Montezumae*, 331

- Pinus osteosperma*, 329
 — *Pinceana*, 330
 — *ponderosa*, 331
 — *pseudostrobus*, 331
 — *strobiformis*, 330
 — *teocote*, 331
 Piper, Studies of Pacific Island Plants, II.
 Notes on the Pacific Species of, 347
Piper aduncum, 352
 — *Betle*, 353
 — **crispatum**, 354
 — *Degereri*, 355
 — *erectispicum*, 360
 — *excelsum tahitianum*, 350
 — *fascicularis*, 358
 — *fasciculatum*, 358
 — *Gibbsiae*, 360
 — *guahamense*, 350
 — *insectifugum*, 353
 — **kandavuense**, 359
 — *latifolium*, 349, 353
 — *latifolium*, 357
 — *Macgillivrayi*, 347, 356
 — — *fasciculare*, 358
 — — *glabrum*, 356
 — — *parvifolium*, 360
 — *melanostachyum*, 357
 — *methysticum*, 353
 — *methysticum*, 349
 — *oxycarpum*, 355
 — *polystachyon*, 357
 — *polystachyum*, 357
 — *puberulum*, 347, 355
 — *puberulum*, 356
 — *puberulum glabrum*, 356
 — — **typicum**, 356
 — **stipulare**, 354
 — *Timothianum*, 358
 — *tristachyon*, 350
 — **vitiense**, 357
Piptochaetium fimbriatum, 396
 — — **confine**, 396
Plantae Papuanae Archboldianae, XI,
 XII, XIII, 34, 207, 422
 Plants of Coahuila, Eastern Chihuahua,
 and Adjoining Zacatecas and Durango,
 I, II, 306, 375
Plutarchia angulata, 466
Poa annua, 377
 — *Bigelovii*, 377
 — *crassicaulis*, 82
 — **egregia**, 79
 — *epileuca*, 84
 — *erectifolia*, 82
 — *involuta*, 377
 — **lunata**, 81
 — **multinodis**, 81
Poa papuana, 84
 — **pilata**, 82
 — *Ruprechtii*, 377
 — *saruwagetica*, 79
 — *spp.*, 83, 377
Poarium, 246
 — *veronicoides*, 246
 — **verticillatum**, 246
 Pollen and Stamens, The Comparative
 Morphology of the Winteraceae, I., 340
Pollinia grata, 88
 — *leptostachys*, 88
 Polypetalae from British Guiana, New
 and Noteworthy, 218
Polypodium erythrolepis, 323
 — *guttatum*, 324
 — *neglectum*, 442
 — *peltatum*, 323
 — *plesiosorum Bakeri*, 324
 — *polylepis*, 323
 — *polypodioides Michauxianum*, 324
 — *thyssanolepis*, 324
Polypogon elongatus, 385
 — *monspeliensis*, 385
Populus L., A Study of Cytology and
 Speciation in the Genus, 275
Potamogeton illinoensis, 375
 — *nodosus*, 375
 — *pectinatus*, 375
Primula elliptica, 486
 — *rosea*, 486
Prinsepia utilis, 486
Psammisia aestuans, 465
 — *columbiensis*, 464
 — **Cuatrecasasii**, 464
 — *ferruginea*, 464
 — **flaviflora**, 463
Pseudosmodingium anomalum, 235
Pseudotsuga taxifolia, 332
Pseudowintera, 153
 — *axillaris*, 155
 — *axillaris*, 157
 — *axillaris colorata*, 158
 — — **typica**, 157
 — *colorata*, 158
 — *Traversii*, 159
Psilotum nudum, 325
Psychotria kwangsiensis, 457
 — *rubra lanceolata*, 374
Pteris cordata, 309
Ptilocalyx Greggii, 239
 Publication Dates for the Botanical Parts
 of the Pacific Railroad Reports, 237
Randia acuminatissima, 373
 — *leucocarpa*, 373
 — **salicifolia**, 456
Rauvolfium, 482

- Rangium japonicum*, 483
 — *koreanum*, 482
 — *ovatum*, 483
 — *suspensum*, 482
 — *viridissimum*, 482
Ranunculus amerophyllus, 38
 — **angustipetalus**, 37
 — **bellus**, 37
 — **coacervatus**, 39
 — **habbemensis**, 38
 — *lappaceus multiscapus*, 40
 — — *scapigerus*, 40
 — *Lowii*, 39
 — *multiscapus*, 40
 — **perindutus**, 39
 — — **papuanus**, 39
 — **perpusillus**, 36
 — *scapigerus*, 40
 — **uncostigma**, 40
Reevesia macrocarpa, 366
 — **tomentosa**, 446
 REHDER, ALFRED. *Forsythia Vahl*, Nomen
 Genericum Conservandum, 482
Rehderodendron indochinense, 369
Reptonia laurina, 369
Rhabdodendron, 224
 — *amazonicum*, 223
 — **Gardnerianum**, 224
Rheum spiciforme, 486
Rinorea fasciculata, 208
 — *salomonensis*, 208
Roscoea alpina, 486
 — *lutea*, 486
 — *purpurea*, 486
 Royle's "Illustrations of the Botany of the
 Himalayan Mountains," 484
 Rubiaceae, *Schizomussaenda*, A New
 Genus of the, 99
Ruellia anagallis, 252
 — *antipoda*, 253
Ruppia maritima, 375
Ryania pyrifera subuliflora, 219
 — — *tomentosa*, 219
 — *Sagotiana*, 220
Saccharum klagha, 88
 — *spontaneum*, 88
 — — *klagha*, 88
Sacciolepis contracta, 87
Sagittaria longiloba, 376
Salix floridana Chapman, a Valid Species,
 103
Salix amphibia, 104
 — *astatulana*, 103
 — *Chapmanii*, 103
 — *floridana*, 103
 — *longipes*, 104
 SANDWICH, N. Y. New and Noteworthy
 Polypetalae from British Guiana, 218
Sapium aereum, 173
 — *aucuparium*, 174
 — *aucuparium*, 175
 — *biglandulosum*, 175
 — — *hamatum*, 173
 — **Bourgeau**, 171
 — **Cuatrecasasii**, 172
 — *glandulosum*, 176
 — *hamatum*, 173
 — *Hemsleyanum*, 176
 — *Hippomane*, 176
 — *jamaicense*, 174
 — *Leitera*, 174
 — *Marmieri*, 174
 — *Moritzianum*, 175
 — **myrmecophilum**, 172
 — *Poeppigii*, 173
 — *salicifolium*, 175
 — *suberosum*, 176
Sarcosperma laurinum, 369
Satyria arborea, 469
Schizomussaenda, A New Genus of the
 Rubiaceae, 99
Schizomussaenda, 99
 — **dehiscens**, 100
Schizophragma macrosepalum, 100
Schizostachyum lima, 78
 — *sp.*, 78
Scleropogon brevifolius, 383
 Scrophulariaceae of New Guinea, A Sec-
 ond Summary of the, 243
Sebastiania anisandra, 177
 — **huallagensis**, 177
 Second Summary of the Scrophulariaceae
 of New Guinea, A, 243
Selaginella lepidophylla, 328
 — **macrathera**, 326
 — *Parishii*, 327
 — *pilifera*, 328
 — — *Pringlei*, 329
 — *Pringlei*, 328
 — *rupincola*, 325
 — *Sheldoni*, 327
 — **viridissima**, 326
 — *Wrightii*, 327
Selago pusilla, 250, 251
Selenia dissecta, 239
Selliguea Archboldii, 442
Semiramisia pulcherrima, 461
Setaria geniculata, 416
 — *Grisebachii*, 416
 — *leucopila*, 417
 — *lutescens*, 416
 — *macrostachya*, 417
 — *Scheelei*, 417

- Setaria verticillata*, 416
 — *villosissima*, 417
Sideroxylon Wightianum tonkinense, 369
Sitanion Hystrix, 384
 SMITH, A. C. Studies of Pacific Island Plants, II. Notes on the Pacific Species of Piper, 347
 — Studies of South American Plants, X. Noteworthy Myristicaceae and Vacciniaceae, 460
 — Taxonomic Notes on the Old World Species of Winteraceae, 119
 — The American Species of Drimys, 1
 — I. W. BAILEY, & CHARLOTTE G. NAST. The Family Himantandraceae, 190
 SMITH, E. CHALMERS. A Study of Cytology and Speciation in the Genus *Populus* L., 275
Sopubia trifida, 261
Sorghastrum nutans, 420
Sorghum halepense, 420
Spartina Spartinae, 404
 Speciation in the Genus *Populus* L., A Study of Cytology and, 275
Sphenopholis obtusata, 384
Spiraea Northcraftii, 234
Sporobolus airoides, 393
 — *contractus*, 395
 — *cryptandrus*, 395
 — — *flexuosus*, 395
 — — *strictus*, 395
 — *flexuosus*, 395
 — *giganteus*, 395
 — *microspermus*, 393
 — *Nealleyi*, 395
 — *phleoides*, 396
 — *pulvinatus*, 393
 — *pyramidatus*, 393
 — *ramulosus*, 393
 — *regis*, 393
 — *repens*, 388
 — *spiciformis*, 396
 — *Wrightii*, 394
 Staff of the Arnold Arboretum, 1942-43, 501
 STEARN, WILLIAM T. Royle's "Illustrations of the Botany of the Himalayan Mountains," 484
Stegnocarpus canescens, 239
 — *Ciocarya*, 238
Stemodia parviflora, 246
 — *verticillata*, 251
Stenandrium barbatum, 239
Stipa angustifolia, 397
 — *clandestina*, 397
 — *editorum*, 397
 — *eminens*, 397
Stipa leucotricha, 396
 — *mucronata*, 397
 — *multinodis*, 397
 — *neomexicana*, 396
 — *robusta*, 398
 — *tenuissima*, 398
Striga, 264
 — *alba*, 264
 — *asiatica*, 266
 — *curviflora*, 265
 — *lutea*, 266
 — *Masuria*, 267
 — *multiflora*, 265, 266
 — *parviflora*, 266
 — *Schlechteri*, 266
 — *Wallichii*, 267
 Studies in the Theaceae, XIV. Notes on the West Indian Species of *Ternstroemia*, 60
 Studies of Pacific Island Plants, II. Notes on the Pacific Species of Piper, 347
 Studies of South American Plants, X. Noteworthy Myristicaceae and Vacciniaceae, 460
 Study of Cytology and Speciation in the Genus *Populus* L., A, 275
Styrax argentifolius, 371
 — *oligophlebius*, 451
Suaeda conferta, 230
 — *diffusa*, 230
 — *duripes*, 231
 — *fruticosa*, 229
 — — *multiflora*, 229
 — *intermedia*, 229
 — *jacoensis*, 228
 — *Moquini*, 229
 — *nigrescens*, 228
 — — *glabra*, 229
 — *suffrutescens*, 230
 — — *detonsa*, 230
 — *Torreyana*, 229
Symbegonia papuana, 59
Symplocos anomala nitida, 452
 — *Delavayi*, 371
 — *indochinensis*, 371
 — *kwangsiensis*, 451
 — *mollipila*, 452
 — *myriadenia*, 452
 — *octopetala*, 76
 — *punctato-marginata*, 452
 — *Stewardii*, 452
Taonabo cernua, 70
 — *delicatula*, 62
 — *flavescens*, 69
 — *heptasepala*, 66
 — *Leonis*, 73
 — *luquillensis*, 67